Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	362/580.ccls. and ((thermal temperature heat\$3) adj (sensor detect\$4 sensing))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 08:15
L2	1	362/6.ccls. and ((thermal temperature heat\$3) adj (sensor detect\$4 sensing)) and (fan blower)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 08:17
L3	0	362/547.ccls. and ((thermal temperature heat\$3) adj (sensor detect\$4 sensing)) and (fan blower)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 08:17
L4	0	362/126.ccls. and ((thermal temperature heat\$3) adj (sensor detect\$4 sensing)) and (fan blower)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 08:17
L5	6	362/218.ccls. and ((thermal temperature heat\$3) adj (sensor detect\$4 sensing)) and (fan blower)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 08:18
L6	6	362/264.ccls. and ((thermal temperature heat\$3) adj (sensor detect\$4 sensing)) and (fan blower)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 08:22
L7	5	362/276.ccls. and ((thermal temperature heat\$3) adj (sensor detect\$4 sensing)) and (fan blower)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 08:24
L8	35	362/294.ccls. and ((thermal temperature heat\$3) adj (sensor detect\$4 sensing)) and (fan blower)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 08:29
L9	20	362/373.ccls. and ((thermal temperature heat\$3) adj (sensor detect\$4 sensing)) and (fan blower)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 08:30
L10	4	362/345.ccls. and ((thermal temperature heat\$3) adj (sensor detect\$4 sensing)) and (fan blower)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 08:37

L11	12	362/800.ccls. and ((thermal temperature heat\$3) adj (sensor detect\$4 sensing)) and (fan blower)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 08:34
L12	0	362/802.ccls. and ((thermal temperature heat\$3) adj (sensor detect\$4 sensing)) and (fan blower)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 08:34
L13	2	"20020079746"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 08:36
L14	92	"362"/\$.ccls. and ((thermal temperature heat\$3) adj (sensor detect\$4 sensing)) and (fan blower) and (LED diode chip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 09:21
L15	87	362/580.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 09:25
L16	571	362/555.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 09:36
L17	22	362/555.ccls. and (imag\$4 adj read\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 09:37
L18	12	362/551.ccls. and (imag\$4 adj read\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 09:38
L19	2	362/552-554.ccls. and (imag\$4 adj read\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 09:39
L20	1	362/556.ccls. and (imag\$4 adj read\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 09:39

		•	_			
L21	40	"362"/\$.ccls. and (imag\$4 adj read\$4) and (light adj guid\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 09:42
L22	21	315/117.ccls. and voltage and temperature and (LED didoe chip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 09:51
L23	687	"315"/\$.ccls. and (voltage near (adjust\$4 gradua\$4 increas\$3 decreas\$3)) and temperature and (LED didoe chip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 09:55
L24	54	"315"/\$.ccls. and (voltage near (adjust\$4 gradua\$4 increas\$3 decreas\$3)) and temperature and (LED didoe chip) and fan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 10:02
L25	31	"315"/\$.ccls. and (voltage adj (adjust\$4 gradua\$4 increas\$3 decreas\$3)) and temperature and (LED didoe chip) and fan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 10:23
L26	3	"315"/\$.ccls. and (voltage near (adjust\$4 gradua\$4) near (rais\$4 lower\$3 increas\$4 decreas\$4)) and temperature and (LED didoe chip) and fan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 10:10
L27	8	"315"/\$.ccls. and ((voltage adj (adjust\$4 gradua\$4 increas\$3 decreas\$3)) same (sec second)) and temperature and (LED didoe chip) and fan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 10:26
L28	0	"315"/\$.ccls. and ((voltage adj (adjust\$4 gradua\$4 increas\$3 decreas\$3)) adj ((one two) adj second)) and temperature and (LED didoe chip) and fan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 10:29
L29	0	"315"/\$.ccls. and ((voltage adj (adjust\$4 gradua\$4 increas\$3 decreas\$3)) adj ((one two) adj second)) and temperature and (LED didoe chip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 10:28
L30	0	"315"/\$.ccls. and ((voltage adj (adjust\$4 gradua\$4 increas\$3 decreas\$3)) adj ((one two) adj second)) and (LED didoe chip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 10:28

L31	0	"315"/\$.ccls. and ((voltage adj (adjust\$4 gradua\$4 increas\$3 decreas\$3)) near ((one two) adj second)) and temperature and (LED didoe chip) and fan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 10:30
L32	1	"315"/\$.ccls. and ((voltage adj (adjust\$4 gradua\$4 increas\$3 decreas\$3)) same ((one two) adj second)) and temperature and (LED didoe chip) and fan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 10:32
L33	1	"315"/\$.ccls. and ((voltage adj (adjust\$4 gradua\$4 increas\$3 decreas\$3)) same ((one two) adj second)) and temperature and (LED didoe chip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 10:31
L34	5	"315"/\$.ccls. and ((voltage adj (adjust\$4 gradua\$4 increas\$3 decreas\$3)) same ((one two) adj second)) and (LED didoe chip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 10:31
L35	1	((voltage adj (adjust\$4 gradua\$4 increas\$3 decreas\$3)) same ((one two) adj second)) and temperature and (LED didoe chip) and fan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 10:33

Page 4